
















2018 SCREEN SHARING COMPARISON GUIDE

MANUFACTURER	DISTRIBUTORS	PRODUCT NAME	OPERATING SYSTEM	VIDEO OUTPUT	FRAME RATE	INPUT RESOLUTION	OUTPUT RESOLUTION	SOURCES	SIMULTANEOUS DEVICES
	Airtame https://airtame.com/	ATDG1	Windows 7/8/8.1/10, Mac OS 10.9/10.10/10.11/10.12, Linux Ubuntu 14.04/18.04, Chrome OS 63/64, Android 4.1 and above, iOS	HDMI 2.0	30fps, 60fps	>4K	1,920 x 1,080	1	10
	Ingram Micro http://au.ingrammicro.com/	SBWD750E	Windows 7/8/10, Android	1080p30	30fps	1080p30	1080p30	1	1
		SBWD750W	Windows 7/8/10, Android	1080p30	30fps	1080p30	1080p30	1	1
		SBWD960A	Windows 7/8/10, Android	1080p30	30fps	1080p30	1080p30	1	1
	Audio Visual Distributors www.avdistributors.com.au	CLICKSHARE CS-100	Windows 7,8,10 (Windows RT is not included), Mac OSX 10.9 and above, Android 4.1 and above, iOS 4.2 and above	HDMI1.4	60fps	>4K	1,920 x 1,080	1	8
		CLICKSHARE CSE-200	Windows 7,8,10 (Windows RT is not included), Mac OSX 10.9 and above, Android 4.1 and above, iOS 4.2 and above	HDMI1.4	60fps	>4K	1,920 x 1,080	2	16
		CLICKSHARE CSE-800	Windows 7,8,10 (Windows RT is not included), Mac OSX 10.9 and above, Android 4.1 and above, iOS 4.2 and above	HDMI1.4	60fps	>4K	3,840 x 2,160	8	64
		WEPRESENT WIPG-1000P	Windows 7,8,10 (Windows RT is not included), Mac OSX 10.9 and above, Android 4.1 and above, iOS 4.2 and above	HDMI1.4, VGA	60fps	>4K	1,920 x 1,080	4	64
		WEPRESENT WIPG-1600W	Windows 7,8,10 (Windows RT is not included), Mac OSX 10.9 and above, Android 4.1 and above, iOS 4.2 and above	HDMI1.4, VGA	60fps	>4K	1,920 x 1,080	4	64
		WEPRESENT WICS-2100	Windows 7,8,10 (Windows RT is not included), Mac OSX 10.9 and above, Android 4.1 and above, iOS 4.2 and above	HDMI1.4	60fps	>4K	1,920 x 1,080	4	32
	Ingram Micro http://au.ingrammicro.com/ Multimedia Technology www.mmt.com.au XIT Distribution www.xitdistribution.com.au	INSTASHOW	Windows, Mac, Chrome	HDMI 1.4	30fps	1,920 x 1,080	>1,920 x 1,080	1	16
	Extron www.extron.com.au	SHARELINK 200	Windows 7/8/10, Mac OS 10.7-10.13	HDMI, RGBHV	30fps	1,920 x 1,080	>1,920 x 1,080	4	4
	Kramer Electronics Australia www.kramerav.com/au	VIA CAMPUS	Windows 10 Enterprise	HDMI, DVI-I	60fps	N/A	4K	6	254
		VIA CONNECT PLUS	Linux Ubuntu	HDMI, Mini DisplayPort	60fps	1,920 x 1,080	1,920 x 1,080	4	254

WIRELESS TRANSMISSION PROTOCOL	DATA RATE	FREQUENCY BAND	AUDIO OUTPUT	REACH	AUTHENTICATION PROTOCOL	ENCRYPTION	CONNECTIONS	LAN PORT	HDMI IN	HDMI OUT	USB	SINGLE-PRESS PAIRING	RESET BUTTON	IOS COMPATIBLE	ANDROID COMPATIBLE	POWER CONSUMPTION	WEIGHT	WARRANTY
802.11 a/g/n	72Mbps	2.4GHz, 5GHz	HDMI	30m	WPA2-PSK, EAP, PEAP, AES, TKIP	N/A	Ethernet	✓	0	1	1	✗	✓	✓	✓	5W	43g	2 years
802.11 a/b/g/n	867Mbps	2.4GHz, 5GHz	HDMI	50m	WPA2	AES	Ethernet, USB, HDMI	✓	-	1	1	✓	✓	✗	✓	5W		1 year
802.11 a/b/g/n	867Mbps	2.4GHz, 5GHz	HDMI	50m	WPA2	AES	HDMI, USB, VGA	✗	-	1	1	✓	✓	✗	✓	5W		1 year
802.11 a/b/g/n	867Mbps	2.4GHz, 5GHz	HDMI	50m	WPA2	AES	HDMI, USB, VGA	✗	-	1	1	✓	✓	✗	✓	5W		1 year
802.11 a/g/n	>600Mbps	2.4GHz, 5GHz	HDMI, 3.5mm, TOSLINK	30m	WPA2-PSK	AES 128-bit	Ethernet, USB, 3.5mm, Optical TOSLINK, HDMI	✓	0	1	2	✓	✓	✓	✓	18W	600g	3 years
802.11 a/g/n	>600Mbps	2.4GHz, 5GHz	HDMI, 3.5mm, TOSLINK	30m	WPA2-PSK, 802.1X	AES 128-bit	Ethernet, USB, 3.5mm, Optical TOSLINK, HDMI	✓	0	1	2	✓	✓	✓	✓	18W	600g	3 years
802.11 a/b/g/n, 802.15.1	>600Mbps	2.4GHz, 5GHz	HDMI, 3.5mm, TOSLINK	30m	WPA2-PSK, 802.1X	AES 128-bit	Ethernet, USB, 3.5mm, Optical TOSLINK, HDMI	✓	2	2	6	✓	✓	✓	✓	90W	2.2kg	3 years
802.11 a/b/g/n	>600Mbps	2.4GHz, 5GHz	HDMI, 3.5mm	30m	WPA2-PSK	AES 128-bit	Ethernet, USB, 3.5mm, Optical, HDMI, VGA	✓	0	1	2	✓	✓	✓	✓	15.3W	293g	3 years
802.11 a/b/g/n	>600Mbps	2.4GHz, 5GHz	HDMI, 3.5mm	30m	WPA2-PSK, 802.1X	AES 128-bit	Ethernet, USB, 3.5mm, HDMI, VGA	✓	0	1	3	✓	✓	✓	✓	15.3W	293g	3 years
802.11 a/b/g/n	>600Mbps	2.4GHz, 5GHz	HDMI, 3.5mm	30m	WPA2-PSK, 802.1X	AES 128-bit	Ethernet, USB, 3.5mm, HDMI, VGA	✓	0	1	2	✓	✓	✓	✓	15.3W	400g	3 years
802.11ac	>400Mbps	5GHz	HDMI	8m	WPA2-PSK, WPA2-Enterprise	AES 128-bit	USB, HDMI	✗	1	1	1	✓	✓	✓	✓	5W	150g	1 year
802.11a/b/g/n	300Mbps	2.4 GHz, 5GHz	HDMI, 3.5mm stereo	N/A	WEP, WPA-PSK, WPA2-PSK, WPA Enterprise, WPA2 Enterprise	AES 128-bit	Ethernet, USB, 3.5mm, VGA	✓	0	1	2	✗	✗	✓	✓	11.5W	870g	3 years
N/A	N/A	N/A	HDMI, DVI, 3.5mm	N/A	N/A	1024-bit	Ethernet, eSATA, USB, 3.5mm	✓	0	2	5	✓	✓	✓	✓	3W	1.4kg	3 years
N/A	N/A	N/A	HDMI, Mini DisplayPort, 3.5mm	N/A	N/A	1024-bit	Ethernet, HDMI, USB, 3.5mm	✓	1	1	4	✓	✓	✓	✓	3W	0.5kg	3 years

2018 SCREEN SHARING COMPARISON GUIDE

			OPERATING SYSTEM	VIDEO OUTPUT	FRAME RATE	INPUT RESOLUTION	OUTPUT RESOLUTION	SOURCES	SIMULTANEOUS DEVICES
MANUFACTURER	DISTRIBUTORS	PRODUCT NAME							
	Kramer Electronics Australia www.kramerav.com/au	VIA CONNECT PRO	Linux Fedora	HDMI, Mini DisplayPort	60fps	N/A	1,920 x 1,080	4	254
		VIA GO	Linux Fedora	HDMI, Mini DisplayPort	60fps	N/A	1,920 x 1,080	2	254
	Corsair Solutions www.corsairsolutions.com.au	TAPSHARE TS20 RECEIVER	Proprietary	HDMI 1.4	30fps	N/A	3,840 x 1,080	4	>64
		TAPSHARE TS20 TRANSMITTER POD	Proprietary	N/A	N/A	3,840 x 2,160	N/A	N/A	N/A
	Midwich www.midwich.com.au	SOLSTICE POD	Proprietary	HDMI 1.4	30fps	N/A	3,840 x 2160	Unlimited	Unlimited
	Axis Audio Visual www.axisav.com.au	AIR	Windows 7/8/10 and OS X/10.11	HDMI 2.0	60fps	2160p60	2160p60	1	N/A
	Ingram Micro https://au.ingrammicro.com/	PANO	Windows 8.1/10, MAC OS X	HDMI 2.0	30fps, 60fps	4K, 1080p30	4K	4	4
	Boole Inc. www.prijector.com	PRIJECTOR PRO	Windows 7/8/10/XP/Vista, Linux Fedora/Redhat/Ubuntu, Mac OS X, iOS 7 and above, Android 4.2 and above, Windows Phone 8.1.	HDMI 2.0a	30fps	>4K	4K, 2K	1	Unlimited
	Vivi www.vivi.io	VWP-100-2	Windows 7+, Mac 10.12+, iOS 9+, Android, Chromebook, Linux	HDMI 2.0	30fps	>4K	1,920 x 1,080	1	Unlimited
	Hills www.hills.com.au	CYNAP	Linux	HDMI, HDBaseT	60fps	4K	4K	4	250
		CYNAP CORE	Linux	HDMI, HDBaseT	60fps	1,920 x 1,080	1,920 x 1,080	2	250
	Hills www.hills.com.au	SW-0501-HDBT	Windows, Mac	HDMI, HDBaseT	60fps	1,920 x 1,200	1,920 x 1,200	4	1
		NHD-SW-0501	Windows, Mac	HDBase-T, H.264	60fps	1,920 x 1,200	1,920 x 1,200	1	1

WIRELESS TRANSMISSION PROTOCOL	DATA RATE	FREQUENCY BAND	AUDIO OUTPUT	REACH	AUTHENTICATION PROTOCOL	ENCRYPTION	CONNECTIONS	LAN PORT	HDMI IN	HDMI OUT	USB	SINGLE-PRESS PAIRING	RESET BUTTON	IOS COMPATIBLE	ANDROID COMPATIBLE	POWER CONSUMPTION	WEIGHT	WARRANTY
N/A	N/A	N/A	HDMI, Mini DisplayPort, 3.5mm	N/A	N/A	1024-bit	Ethernet, USB, 3.5mm	✓	0	1	4	✓	✓	✓	✓	3W	0.5kg	3 years
802.11ac	6Mbps	2.4GHz, 5GHz	HDMI, Mini DisplayPort, 3.5mm	N/A	WPA2	1024-bit	Ethernet, USB, 3.5mm	✓	0	1	4	✓	✓	✓	✓	3W	0.4kg	3 years
802.11 ac	1,500Mbps	5GHz	HDMI	50m	WPA, WPA2, 802.1x,	AES 128-bit	Ethernet, HDMI, USB	✓	0	1	1	✓	✓	✓	✓	10W	500g	2 years
802.11 ac	1,500Mbps	5GHz	N/A	50m	WPA, WPA2, 802.1x,	AES 128-bit	Ethernet, HDMI, DisplayPort, USB	✓	1	0	1	✓	✓	✓	✓	5W	100g	2 years
802.11ac	≥500Mbps	2.4GHz, 5GHz	HDMI, 3.5mm	50m	WPA2, 802.1x	RSA 2048-bit	Ethernet, USB, 3.5mm	✓	0	1	2	✗	✗	✓	✓	5W	295g	1 year
N/A	N/A	N/A	HDMI, 3.5mm	N/A	N/A	N/A	Ethernet, HDMI, VGA, 3.5mm	✓	2	1	0	✗	✓	✓	✓	10W	500g	1 year
802.11a/b/g/n/ac	200Mbps	2.4GHz, 5GHz	3.5mm	50m	WPA2-AES	AES	Ethernet, USB, 3.5mm	✓	1	1	2	✓	✓	✓	✓	54V DC, 1.2A	500g	1 year
802.11 a/b/g/n/ac, 802.1x	≥100 Mbps	2.4GHz, 5GHz	HDMI, CVBS	30m	WPA2-PSK 802.1x	WPA-Enterprise	Ethernet, USB	✓	0	1	2	✓	✓	✓	✓	10W	250g	1 year
N/A	≥100Mbps	N/A	HDMI	N/A	N/A	N/A	Ethernet, USB	✓	0	1	2	✗	✓	✓	✓	24W	285g	Lifetime
802.11 ac/a/b/g/n	867Mbps	2.4GHz, 5GHz	HDMI, 3.5mm	N/A	WEP, WPA2, WPA2 Enterprise or IEEE 802.1x	N/A	Ethernet, USB, 3.5mm, HDBaseT	✓	2	2	5	✓	✓	✓	✓	105W	2.5kg	3 years
802.11 ac/a/b/g/n	867Mbps	2.4GHz, 5GHz	HDMI, 3.5mm	N/A	WEP, WPA2, WPA2 Enterprise or IEEE 802.1x	N/A	Ethernet, USB, 3.5mm	✓	1	1	5	✓	✓	✓	✓	80W	2kg	3 years
N/A	20Mbps	N/A	HDMI, HDBaseT, Stereo Analogue	N/A	N/A	No	Ethernet	✓	4	1	0	✗	✓	✗	✗	88.6W	2.3kg	5 years
N/A	20Mbps	N/A	HDMI, Stereo Analogue	N/A	N/A	No	Ethernet	✓	4	1	0	✗	✓	✗	✗	16.6W	2.3kg	5 years